

SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

Report No. : SRL/RCMPL/SEPT/21

Date: 08.10.2021

TEST REPORT

- Name and Address of the Unit : M/s Radha Casting & Metalik (Pvt) Limited.
(M. S. Ingot Unit), At.: Paiki, P.O.: Marar,
District: Ramgarh, Jharkhand.
- Location of Monitoring : Near Main Gate (Beside Office Building)
- Date of Monitoring : 24.09.2021 to 25.09.2021
- Ambient Temperature : 31°C
- Average Relative Humidity : 74 %
- Meteorological Condition : Cloudy
- Results of Ambient Air Quality :


Sl. No.	PARAMETERS	UNIT	RESULTS
1.	Sulphur dioxide (SO ₂)	µg/m ³	15.80
2.	Nitrogen Oxides (NOx)	µg/m ³	29.70
3.	PM ₁₀	µg/m ³	77.40
4.	PM _{2.5}	µg/m ³	43.00
5.	Ozone (O ₃)	µg/m ³	21.00
6.	Lead (Pb)	µg/m ³	<0.02
7.	Carbon monoxide (CO)	mg/m ³	0.82
8.	Ammonia (NH ₃)	µg/m ³	19.00
9.	Benzene (C ₆ H ₆)	µg/m ³	<1.00
10.	Benzo (a) Pyrene (BaP)	ng/m ³	<1.00
11.	Arsenic (As)	ng/m ³	<1.00
12.	Nickel (Ni)	ng/m ³	<4.00

Note: 01. Ambient Fine Dust Sampler [Make Ecotech Instruments, Greater Noida, Model-AAS 190] was used for PM_{2.5} collection.

02. Analysis of Lead (Pb), Arsenic (As), Nickel (Ni), and Benzo (a) Pyrene (BaP) was carried out on PM₁₀ fraction.

for Scientific Research Laboratory,

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand office.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

Report No. : SRL/RCMPL/SEPT/21

Date: 08.10.2021

TEST REPORT

- Name and Address of the Unit : M/s Radha Casting & Metalik (Pvt) Limited.
(M. S. Ingot Unit), At.: Paiki, P.O.: Marar,
District: Ramgarh, Jharkhand.
- Location of Monitoring : Near South – East Boundary
- Date of Monitoring : 24.09.2021 to 25.09.2021
- Ambient Temperature : 31°C
- Average Relative Humidity : 74 %
- Meteorological Condition : Cloudy
- Results of Ambient Air Quality :


Sl. No.	PARAMETERS	UNIT	RESULTS
1.	Sulphur dioxide (SO ₂)	µg/m ³	16.50
2.	Nitrogen Oxides (NO _x)	µg/m ³	33.20
3.	PM ₁₀	µg/m ³	82.60
4.	PM _{2.5}	µg/m ³	46.00
5.	Ozone (O ₃)	µg/m ³	23.00
6.	Lead (Pb)	µg/m ³	<0.02
7.	Carbon monoxide (CO)	mg/m ³	0.87
8.	Ammonia (NH ₃)	µg/m ³	21.00
9.	Benzene (C ₆ H ₆)	µg/m ³	<1.00
10.	Benzo (a) Pyrene (BaP)	ng/m ³	<1.00
11.	Arsenic (As)	ng/m ³	<1.00
12.	Nickel (Ni)	ng/m ³	<4.00

Note: 01. Ambient Fine Dust Sampler [Make Ecotech Instruments, Greater Noida, Model-AAS 190] was used for PM_{2.5} collection.

02. Analysis of Lead (Pb), Arsenic (As), Nickel (Ni), and Benzo (a) Pyrene (BaP) was carried out on PM₁₀ fraction.

for Scientific Research Laboratory,

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand office.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

Report No. : SRL/RCMPL/SEPT/21

Date: 08.10.2021

TEST REPORT

- Name and Address of the Unit : M/s Radha Casting & Metalik (Pvt) Limited.
(M. S. Ingot Unit), At.: Paiki, P.O.: Marar,
District: Ramgarh, Jharkhand.
- Location of Monitoring : Near South – West Boundary (Beside Laboratory)
- Date of Monitoring : 24.09.2021 to 25.09.2021
- Ambient Temperature : 31°C
- Average Relative Humidity : 74 %
- Meteorological Condition : Cloudy
- Results of Ambient Air Quality :


Sl. No.	PARAMETERS	UNIT	RESULTS
1.	Sulphur dioxide (SO ₂)	µg/m ³	17.60
2.	Nitrogen Oxides (NOx)	µg/m ³	35.00
3.	PM ₁₀	µg/m ³	89.50
4.	PM _{2.5}	µg/m ³	50.00
5.	Ozone (O ₃)	µg/m ³	24.00
6.	Lead (Pb)	µg/m ³	<0.02
7.	Carbon monoxide (CO)	mg/m ³	0.91
8.	Ammonia (NH ₃)	µg/m ³	23.00
9.	Benzene (C ₆ H ₆)	µg/m ³	<1.00
10.	Benzo (a) Pyrene (BaP)	ng/m ³	<1.00
11.	Arsenic (As)	ng/m ³	<1.00
12.	Nickel (Ni)	ng/m ³	<4.00

Note: 01. Ambient Fine Dust Sampler [Make Ecotech Instruments, Greater Noida, Model-AAS 190] was used for PM_{2.5} collection.

02. Analysis of Lead (Pb), Arsenic (As), Nickel (Ni), and Benzo (a) Pyrene (BaP) was carried out on PM₁₀ fraction.

for Scientific Research Laboratory,

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand office.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

Report No. : SRL/RCMPL/SEPT/21

Date: 08.10.2021

TEST REPORT

- Name and Address of the Unit : M/s Radha Casting & Metalik (Pvt) Limited.
(M. S. Ingot Unit), At.: Paiki, P.O.: Marar,
District: Ramgarh, Jharkhand.
- Location of Monitoring : Near Staff Quarter
- Date of Monitoring : 24.09.2021 to 25.09.2021
- Ambient Temperature : 31°C
- Average Relative Humidity : 74 %
- Meteorological Condition : Cloudy
- Results of Ambient Air Quality :


Sl. No.	PARAMETERS	UNIT	RESULTS
1.	Sulphur dioxide (SO ₂)	µg/m ³	15.50
2.	Nitrogen Oxides (NOx)	µg/m ³	28.70
3.	PM ₁₀	µg/m ³	79.30
4.	PM _{2.5}	µg/m ³	43.00
5.	Ozone (O ₃)	µg/m ³	21.00
6.	Lead (Pb)	µg/m ³	<0.02
7.	Carbon monoxide (CO)	mg/m ³	0.89
8.	Ammonia (NH ₃)	µg/m ³	22.00
9.	Benzene (C ₆ H ₆)	µg/m ³	<1.00
10.	Benzo (a) Pyrene (BaP)	ng/m ³	<1.00
11.	Arsenic (As)	ng/m ³	<1.00
12.	Nickel (Ni)	ng/m ³	<4.00

Note: 01. Ambient Fine Dust Sampler [Make Ecotech Instruments, Greater Noida, Model-AAS 190] was used for PM_{2.5} collection.

02. Analysis of Lead (Pb), Arsenic (As), Nickel (Ni), and Benzo (a) Pyrene (BaP) was carried out on PM₁₀ fraction.

for Scientific Research Laboratory,

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand office.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

M/s RADHA CASTING & METALIK (P) LTD.
(M. S. INGOT UNIT)
At.: PAINKI, P.O.: MARAR, DISTRICT: RAMGARH
JHARKHAND

AMBIENT NOISE MONITORING DATA

Report No. : SRL/RCMPL/N-01/21

Date of Reporting: 08.10.2021

Monitoring Location	Date of Monitoring	Hours		Sound Pressure Level, dB(A)
		Day Time (06.00-22.00 hr.)	Night Time (22.00-06.00 hr.)	
Near Main Gate (Beside Office Building)	24.09.2021 & 25.09.2021	Day Time (06.00-22.00 hr.)	09.00	57.3
			10.00	58.1
			11.00	60.0
			12.00	61.6
			13.00	60.9
			14.00	61.2
			15.00	61.5
		Night Time (22.00-06.00 hr.)	16.00	62.1
			22.00	53.7
			23.00	52.0
			00.00	47.8
			01.00	46.3
			02.00	45.6
			03.00	47.2
			04.00	48.9
			05.00	51.6


Norms: National Ambient Air Quality Standards (NAAQS) in respect of Noise as per CPCB, New Delhi,
Industrial Area : Day Time 75 dB(A) Leq and Night Time 70 dB(A) Leq
Commercial Area : Day Time 65 dB(A) Leq and Night Time 55 dB(A) Leq
Residential Area : Day Time 55 dB(A) Leq and Night Time 45 dB(A) Leq
Silence Zone : Day Time 50 dB(A) Leq and Night Time 40 dB(A) Leq

Norms: OSHA Norms in work place for 8 hr. exposure: 90 dB (A)

for Scientific Research Laboratory,

Niraj

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand Office



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

**M/s RADHA CASTING & METALIK (P) LTD.
(M. S. INGOT UNIT)
At.: PAINKI, P.O.: MARAR, DISTRICT: RAMGARH
JHARKHAND**

AMBIENT NOISE MONITORING DATA

Report No. : SRL/RCMPL/N-01/21

Date of Reporting: 08.10.2021

Monitoring Location	Date of Monitoring	Hours		Sound Pressure Level, dB(A)
		Day Time (06.00-22.00 hr.)	Night Time (22.00-06.00 hr.)	
Near South – East Boundary	24.09.2021 & 25.09.2021	Day Time (06.00-22.00 hr.)	09.10	60.6
			10.10	61.4
			11.10	63.1
			12.10	62.7
			13.10	63.0
			14.10	64.1
			15.10	63.8
			16.10	63.6
		Night Time (22.00-06.00 hr.)	22.10	59.2
			23.10	58.0
			00.10	56.8
			01.10	55.3
			02.10	54.7
			03.10	55.4
			04.10	56.0
			05.10	58.5


Norms: National Ambient Air Quality Standards (NAAQS) in respect of Noise as per CPCB, New Delhi,
Industrial Area : Day Time 75 dB(A) Leq and Night Time 70 dB(A) Leq
Commercial Area : Day Time 65 dB(A) Leq and Night Time 55 dB(A) Leq
Residential Area : Day Time 55 dB(A) Leq and Night Time 45 dB(A) Leq
Silence Zone : Day Time 50 dB(A) Leq and Night Time 40 dB(A) Leq

Norms: OSHA Norms in work place for 8 hr. exposure: 90 dB (A)

for Scientific Research Laboratory,

Niraj

**(Dr. Niraj Kumar Singh)
In-charge, Jharkhand Office**



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

**M/s RADHA CASTING & METALIK (P) LTD.
(M. S. INGOT UNIT)
At.: PAINKI, P.O.: MARAR, DISTRICT: RAMGARH
JHARKHAND**

AMBIENT NOISE MONITORING DATA

Report No. : SRL/RCMPL/N-01/21

Date of Reporting: 08.10.2021

Monitoring Location	Date of Monitoring	Hours		Sound Pressure Level, dB(A)
		Day Time (06.00-22.00 hr.)	Night Time (22.00-06.00 hr.)	
Near South – West Boundary (Beside Laboratory)	24.09.2021 & 25.09.2021	Day Time (06.00-22.00 hr.)	09.20	59.8
			10.20	60.3
			11.20	61.0
			12.20	62.5
			13.20	62.9
			14.20	63.2
			15.20	63.6
		Night Time (22.00-06.00 hr.)	16.20	64.1
			22.20	60.3
			23.20	59.9
			00.20	58.5
			01.20	56.7
			02.20	56.6
			03.20	56.8
			04.20	56.3
			05.20	57.5


Norms: National Ambient Air Quality Standards (NAAQS) in respect of Noise as per CPCB, New Delhi,
Industrial Area : Day Time 75 dB(A) Leq and Night Time 70 dB(A) Leq
Commercial Area : Day Time 65 dB(A) Leq and Night Time 55 dB(A) Leq
Residential Area : Day Time 55 dB(A) Leq and Night Time 45 dB(A) Leq
Silence Zone : Day Time 50 dB(A) Leq and Night Time 40 dB(A) Leq

Norms: OSHA Norms in work place for 8 hr. exposure: 90 dB (A)

for Scientific Research Laboratory,

Niraj

**(Dr. Niraj Kumar Singh)
In-charge, Jharkhand Office**



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

M/s RADHA CASTING & METALIK (P) LTD.
(M. S. INGOT UNIT)
At.: PAINKI, P.O.: MARAR, DISTRICT: RAMGARH
JHARKHAND

AMBIENT NOISE MONITORING DATA

Report No. : SRL/RCMPL/N-01/21

Date of Reporting: 08.10.2021


Monitoring Location	Date of Monitoring	Hours		Sound Pressure Level, dB(A)
		Day Time (06.00-22.00 hr.)	Night Time (22.00-06.00 hr.)	
Near Staff Quarter	24.09.2021 & 25.09.2021	Day Time (06.00-22.00 hr.)	09.30	55.8
			10.30	55.3
			11.30	57.5
			12.30	58.1
			13.30	57.9
			14.30	58.6
			15.30	60.4
			16.30	58.7
		Night Time (22.00-06.00 hr.)	22.30	54.5
			23.30	53.4
			00.30	51.6
			01.30	52.3
			02.30	52.0
			03.30	51.2
			04.30	53.0
			05.30	52.4

Norms: National Ambient Air Quality Standards (NAAQS) in respect of Noise as per CPCB, New Delhi,
Industrial Area : Day Time 75 dB(A) Leq and Night Time 70 dB(A) Leq
Commercial Area : Day Time 65 dB(A) Leq and Night Time 55 dB(A) Leq
Residential Area : Day Time 55 dB(A) Leq and Night Time 45 dB(A) Leq
Silence Zone : Day Time 50 dB(A) Leq and Night Time 40 dB(A) Leq

Norms: OSHA Norms in work place for 8 hr. exposure: 90 dB (A)

for Scientific Research Laboratory,

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand Office



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

Report No. : SRL/RCMPL/WZ-FD/21

Date: 08.10.2021

WORK ZONE FUGITIVE DUST EMISSION


1. Name and Address of the Unit : M/s Radha Casting & Metalik (Pvt.) Limited.
(M. S. Ingot Unit)
At.- Paiki, P.O.: Marar, District: Ramgarh
Jharkhand.
2. Date of Monitoring : 25.09.2021
3. Ambient Temperature : 31^oC
4. Average Relative Humidity : 76 %
5. Meteorological Condition : Cloudy
6. Results of Fugitive Dust Emission :

Sl. No.	Sample No.	Monitoring Location	Results in $\mu\text{g}/\text{Nm}^3$
			Respirable Suspended Particulate Matter (PM ₁₀)
1.	WZ - 1	Near Raw Material Handling Yard	1788
2.	WZ - 2	Near Induction Furnace	1870
3.	WZ - 3	Near Finished Product Exit Point	1692
4.	WZ - 4	Near Crusher Plant (About 10m from Crushing Unit)	1854
Norms for Fugitive Emission: MoEF & CC Notification, 18 th March, 2016			2000 at 10 metre

The results when compared with norms show that the work zone air quality were well within the stipulated limits.

for Scientific Research Laboratory,

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand office.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization

Recognized by Jharkhand State Pollution Control Board

Analytical & Environmental Engineering Laboratory

C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand

Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

STACK MONITORING REPORT

Name of the Industry : M/s Radha Casting & Metalik (Pvt) Limited.
(M. S. Ingot Unit)
At.: Paiki, P.O.: Marar, District: Ramgarh,
Jharkhand.

Date of sampling : 24.09.2021

Weather condition : Cloudy

Stack number if any : Induction Furnace Stack (Electric)

Height of stack from ground level (in metre) : 21.26

Inner dimension of stack (in metre) : 0.40

Height of port hole (in metre) : 7.62

Atmospheric temperature (in °C) : 31

Stack gas temperature (in °C) : 104

Stack gas velocity (in m/s) : 5.98

Volumetric flow rate (in Nm³/hr) : 2139

Dust concentration (in mg/Nm³) : 74

Emission rate (in kg/hr) : 0.158

Name of fuel & quantity used per shift : Electricity

Production capacity : 15,000 T/Annum

Stack attached to : Fume Extraction System with Wet Scrubber

GASES

Sulphurdioxide (in mg/Nm³) as SO₂ : 11

Nitrogenoxides (in mg/Nm³) as NO₂ : 29

Carbon Monoxide (in %) as CO : <0.2%

Carbon dioxide (% v/v by Orsat method) : 5.4


Note: Sampling was carried out at CO₂ 12%

Remarks: Dust concentration was found 74 mg/Nm³ against prescribed limit of 150 mg/Nm³.

for Scientific Research Laboratory,

Niraj

(DR. NIRAJ KUMAR SINGH)
In-charge, Jharkhand Office.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

TEST REPORT

Sample No.: EW- 1
Report No.: SRL/RCMPL/EW-1/21

Reporting Date: 08.10.2021

SAMPLE DRAWN BY SCIENTIFIC RESEARCH LABORATORY

Customer Name & Address : Radha Casting & Metalik (P) Limited.
At.: Paiki, P.O.: Marar, District: Ramgarh
Jharkhand.
Type of the Sample : Cooling Tower Blow- Down Water
Location : Final Outlet
Sampling Method : APHA 23rd Edition, 1060B & SRL/QSP/09
Date of Sampling : 25.09.2021
Sample Received On : 25.09.2021
Environmental Condition : Cloudy, Temp. 30 °C


RESULTS

Sl. No.	Parameters	Unit	Permissible Limit	Results
1.	Temperature	°C	-	27.60
2.	pH	-	5.5 – 9.0	7.9
3.	Total Dissolved Solids	mg/l	-	379
4.	Total Suspended Solids	mg/l	100	46
5.	Chemical Oxygen Demand	mg/l	250	58
6.	Biological Oxygen Demand 3 Days at 27°C	mg/l	30	5.6
7.	Oil and Grease	mg/l	10	<5

for Scientific Research Laboratory,

Niraj

(DR. NIRAJ KUMAR SINGH)
In-charge, Jharkhand Office



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization

Recognized by Jharkhand State Pollution Control Board

Analytical & Environmental Engineering Laboratory

C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand

Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

RESULTS OF GROUND WATER ANALYSIS

CLIENT : M/S Radha Casting & Metalik (Pvt) Limited (M. S. Ingot Unit)
AT.: Painki, P.O.: Marar, District: Ramgarh, Jharkhand

DATE OF SAMPLING : 25.09.2021

DATE OF REPORTING: 08.10.2021

Sl. No.	Characteristics	Requirement (desirable limits)	Permissible Limits* in the absence of Alternate Source	Results
				Bore Well Water (Plant Campus)
1.	Colour, Hazen units, Max.	5	-	< 5
2.	Odour	Unobjectionable	-	Unobjectionable
3.	Taste	Agreeable	-	Agreeable
4.	Turbidity, NTU, Max.	5	10	<0.5
5.	pH Value	6.5 to 8.5	No relaxation	7.3
6.	Total Hardness (as CaCO ₃), mg/l, Max.	300	600	228
7.	Iron (as Fe), mg/l, Max.	0.3	0.30	0.22
8.	Chloride (as Cl), mg/l, Max.	250	1000	36
9.	Residual Free Chlorine, mg/l, Min.	0.2	-	< 0.1
10.	Fluoride (as F) mg/L, Max.	1.0	1.5	0.54
11.	Dissolved Solids mg/l, Max.	500	2000	332
12.	Calcium (as Ca), mg/l, Max.	75	200	58
13.	Magnesium (as Mg), mg/L, Max.	30	100	22
14.	Copper (Cu), mg/l, Max.	0.05	1.5	< 0.01
15.	Manganese (as Mn), mg/l, Max.	0.1	0.3	0.02
16.	Sulphate (as SO ₄), mg/l, Max.	200	400	18
17.	Nitrate (as NO ₃), mg/l, Max.	45	100	2.6
18.	Phenolic Compounds (as C ₆ H ₅ OH),	0.001	0.002	< 0.001
19.	Mercury (as Hg), mg/l, Max.	0.001	No relaxation	< 0.0005
20.	Cadmium (as Cd), mg/l, Max.	0.01	No relaxation	< 0.005
21.	Selenium (as Se), mg/l, Max.	0.01	No relaxation	< 0.005
22.	Arsenic (as As), mg/l, Max.	0.05	No relaxation	< 0.03
23.	Cyanide (as CN), mg/l, Max.	0.05	No relaxation	< 0.01
24.	Lead (as Pb), mg/l, Max.	0.05	No relaxation	< 0.05
25.	Chromium (as Cr ⁶⁺), mg/l, Max.	0.05	No relaxation	< 0.01
26.	Alkalinity (as CaCO ₃) mg/l, Max.	200	600	190
27.	Aluminium (as Al) mg/l, Max.	0.03	0.2	< 0.01
28.	Boron, mg/l, Max.	1.0	5	< 0.1
29.	Total Coliforms Count,MPN/100ml	**	-	Nil

IS: 10500 (2012): Norms for drinking water


* IS: 10500 : 1991 Drinking water – Specification and amendment no. 01, January 1993.

- **
- Throughout any year, 95% of samples should not contain Coliform organisms in 100 ml.
 - No samples should contain E. Coli in 100 ml.
 - No samples should contain more than 10 Coliform organisms per 100 ml.
 - Coliform organisms should not be detected in 100 ml of any two consecutive samples.

for Scientific Research Laboratory,

Niraj

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand Office



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization

Recognized by Jharkhand State Pollution Control Board

Analytical & Environmental Engineering Laboratory

C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand

Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

RESULTS OF SURFACE WATER ANALYSIS

Client : M/s Radha Casting & Metalik (P) Ltd.
At: Paiki, P.O.: Marar, District: Ramgarh, Jharkhand.

Type of Sample : Surface Water Sampling Location : Reservoir Water
Sample Received on : 25.09.2021 Date of Reporting : 08.10.2021

Sl. No.	Parameters	Results Reservoir Water (Within Plant Campus)
1.	Colour, Hazen units, Max.	< 5
2.	pH Value	7.5
3.	Electrical Conductivity, μ mhos/cm	686
4.	Dissolved Oxygen (as O ₂), mg/l	5.4
5.	BOD, 5 days at 20° C, mg/l	1.8
6.	Total Hardness (as CaCO ₃), mg/l, Max.	124
7.	Iron (as Fe), mg/l, Max.	0.20
8.	Chloride (as Cl), mg/l, Max.	36.00
9.	Fluoride (as F) mg/L, Max.	0.30
10.	Dissolved Solids mg/l, Max.	426
11.	Total Suspended Solids mg/l, Max.	48
12.	Calcium (as Ca), mg/l, Max.	52.60
13.	Magnesium (as Mg), mg/L, Max.	26.00
14.	Copper (Cu), mg/l, Max.	<0.01
15.	Manganese (as Mn), mg/l, Max.	0.02
16.	Sulphate (as SO ₄), mg/l, Max.	66.00
17.	Nitrate (as NO ₃), mg/l, Max.	20.00
18.	Alkalinity (as CaCO ₃) mg/l, Max.	142
19.	Oil & Grease, mg/l, Max.	<0.10
20.	Total Coliform Count, MPN/100ml	340

Water Quality Criteria as per Central Pollution Control Board is as follows:

Parameters	Class A	Class B	Class C	Class D	Class E
1. pH	6.5–8.5	6.5–8.5	6.0-9.0	6.5–8.5	6.5–8.5
2. Dissolved oxygen (as O ₂), mg/l, min	6	5	4	4	-
3. BOD, 5 days at 20° C, max	2	3	3	-	-
4. Total coliform organism, MPN/100 ml, max	50	500	5000	-	-
5. Free ammonia (as N), mg/l, max	-	-	-	1.2	-
6. Electrical conductivity, μ mhos/cm, max	-	-	-	-	2250

Class A: Drinking water source without conventional treatment but after disinfection

Class B: Outdoor bathing (organized)

Class C: Drinking water source after conventional treatment and after disinfection

Class D: Propagation of Wild life and Fisheries

Class E: Irrigation, Industrial Cooling, and Controlled Waste Disposal


Below E: Not meeting A, B, C, D & E Criteria

for Scientific Research Laboratory,

Niraj

(Dr. Niraj Kumar Singh)

In-charge, Jharkhand Office.



SCIENTIFIC RESEARCH LABORATORY

An ISO 9001:2015 (QMS) & OHSAS 45001:2018 Certified Organization
Recognized by Jharkhand State Pollution Control Board
Analytical & Environmental Engineering Laboratory
C- 144, Aman Green City, Pundag, Ranchi- 834 004, Jharkhand
Tele No.: 0651- 2950060, Mobile: 94701 30700, E-mail: nirajksingh2003@yahoo.co.in

LECHATE ANALYSIS REPORT

Report No.: SRL/RCMPL/LA/SEPT/2021

Date of Reporting: 08.10.2021

SAMPLE NOT DRAWN BY SCIENTIFIC RESEARCH LABORATORY

Client Name & Address : Radha Casting & Metalik (P) Limited.
At.: Paiki, P.O.: Marar, District: Ramgarh
Jharkhand.
Sample Submitted by : Radha Casting & Metalik (P) Limited.
Type of Sample : Slag
Sample Received on : 25.09.2021

Analysis Report

Sl. No.	Parameters	EPA Regulatory Level, mg/l	Results (mg/l in extract)
1.	Arsenic (as As)	5.0	<0.020
2.	Cadmium (as Cd)	1.0	<0.010
3.	Chromium (as Cr)	5.0	<0.050
4.	Lead (as Pb)	5.0	<0.050
5.	Mercury (as Hg)	0.2	<0.005
6.	Selenium (as Se)	1.0	<0.010
7.	Silver (as Ag)	5.0	<0.050

Note: The sample was extracted with extraction fluid- 1 (pH 4.93 ± 0.05) in 1:20 ratio for 18 hours. The extraction fluid was selected after pH study of the sample (Ref: EPA Method 1311: Toxicity Characteristic Leaching Procedure).

for Scientific research Laboratory,

(Dr. Niraj Kumar Singh)
In-charge, Jharkhand Laboratory.